



Name of each part







ATTACHMENTS



BRUSH DRUM
1EA




DASHER LUG FRONT WHITE
1EA




MANUAL
1EA



BRUSH COVER
1EA



DASHER LUG BACK WHITE
1EA



PACKING DASHER COVER
1EA



BRUSH 3
1EA



CARBURETOR TUBE
1EA



CARBURETOR TUBE
BODY
1EA



SHAFT POM PACKING
2EA




O-RING LEVER SHAFT
2EA




BRUSH CARBURETOR OUT
1EA




PACKING PISTON TOP
3EA




UNION 1/2
1EA



HOSE
1EA



PACKING REMOVE HANDLE
1EA



HINES
1EA

Product specification

CLASSIFICATION		SPECIFICATION		
PRODUCT NAME		Ice Cream Machines		
MODEL NAME		ISI-271THN		ISI-271THPN
RATED POWER		1 PH, 230 V, 50 Hz	1 PH, 220 V, 60 Hz	1 PH, 230 V, 50 Hz
POWER CONSUMPTION		2200 W		2400 W
CURRENT CONSUMPTION		12 A		13 A
Product size (Applicable to rubber feet)	WIDTH(W)	380 mm		
	DEPTH(D)	905 mm		
	HEIGHT(H)	988 mm		
CYLINDER CAPACITY		2.7 ℓ		
MIXING TANK CAPACITY		12.5 ℓ		5.5 ℓ
CONSECUTIVE SELLING (kg/day)		13 kg/h		15 kg/h
INITIAL SALES HOURS		10 minutes		
COOLING TEMPERATURE		Can keep under 5 °C		
CONDENSER		Fully sealed compressor		
PASTEURIZATION FUNCTION		68 °C 30 Minute Pasteurized		
FILTER MOUNTED		bottom filter		
REFRIGERANT AMOUNT		900 g	950 g	900 g
REFRIGERANT		R-404a		
DISPLAY SYSTEM		LCD screen		
PRODUCT WEIGHT (Before packing)		130 kg		139 kg